

## California Regional Water Quality Control Board

San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties

Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



9174 Sky Park Court, Suite 100, San Diego, California 92123-4353 (858) 467-2952 • Fax (858) 571-6972 http://www.waterboards.ca.gov/sandiego Supporting Document No. 2 Item No. 8 August 11, 2010

July 7, 2010

Mr. John Knight Director of Environmental Services Knight & Carver Yachtcenter 1313 Bay Marina Dr. National City, CA 91950

In reply refer to: 235140:KSchwall WDID No.: 9 000000816

Dear Mr. Knight:

SUBJECT: CONSIDERATION OF ADOPTION OF TENTATIVE ORDER NO. R9-2010-0096, AN ORDER MODIFYING ORDER NO. R9-2005-0149 NPDES NO. CA0109088, KNIGHT AND CARVER YACHTCENTER BOAT REPAIR FACILITY DISCHARGE TO SAN DIEGO BAY

The California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) intends to consider adoption of the subject tentative order at a San Diego Water Board meeting on August 11, 2010. If adopted, the tentative Order would add discharge requirements for the drydock Diligence to Knight and Carver Yachtcenter's NPDES Permit Order No. R9-2005-0149. It is our understanding that the drydock has been bought from BAE Systems. Adoption of the subject tentative Order would allow the use of the drydock for ship repair/construction work. Order No. R9-2005-0149 is being modified to add a new discharge point for the drydock.

The subject tentative Order will be presented to the San Diego Water Board on Wednesday, **August 11, 2010**. The meeting will begin promptly at 9:00 AM and will be held at the following location:


California Regional Water Quality Control Board, San Diego Region San Diego Water Board Meeting Room 9174 Sky Park Court, Suite 100 San Diego, California

The tentative order is available for download from the San Diego Water Board's website listed below. Alternatively, contact us to request a paper copy.

www.waterboards.ca.gov/sandiego

You can find the subject order under "Board Decisions", "Tentative Orders".

California Environmental Protection Agency



Knight & Carver Tentative Order

-2-

July 7, 2010

Please review and comment on the tentative Order at your earliest convenience. It is recommended that written comments be submitted as soon as possible to enable staff to amend the tentative Order, if necessary, and allow changes to the tentative Order to be fully reviewed by the San Diego Water Board and interested parties. To ensure that the San Diego Water Board has the opportunity to fully study and consider written material, comments should be received in the San Diego Water Board's office no later than 5:00 p.m. on Wednesday, July 28, 2010. The final deadline for submittal of written comments, however, is at the Regional Water Board meeting on August 11, 2010.

The heading portion of this letter includes a San Diego Water Board code number noted after "In reply refer to:" In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the San Diego Water Board pertaining to this matter.

If you have any questions regarding the above, please contact Ms. Kristin Schwall at (858) 467-2345, or via email at kschwall@waterboards.ca.gov.

Respectfully,

DAVID T. BARKER Supervising Engineer

DTB:kks

cc by e-mail: Michael O'Leary, Knight and Carver, moleary@knightandcarver.com Sandor Halvax, BAE Systems Ship Repair, Halvaxs@swmarine.com Jamie Marincola, USEPA, Marincola.Jamespaul@epamail.epa.gov David Smith, USEPA, Smith, DavidW@epamail.epa.gov

Order No. R9-2005-0149 & R9-2010-0096 NPDES No. CA0109088

CIWQS Place ID 235140 WDID

9 000000816

Reg. Measure No. 307016